

# COMPACT RUBBER PROFILES CATALOG

MORE THAN 500 REFERENCES  
OF:

- RUBBER STRIPS
- CORDS
- TUBES

IN EPDM, CR, NBR, SBR...



**RUBBER STRIPS** \_\_\_\_\_ **3**

MAXIMUM LENGTH BETWEEN 0,1MM Y 10 MM	3
MAXIMUM LENGTH BETWEEN 10,1MM Y 20 MM	4
MAXIMUM LENGTH BETWEEN 20,1MM Y 30 MM	8
MAXIMUM LENGTH BETWEEN 30,1MM Y 40 MM	10
MAXIMUM LENGTH BETWEEN 40,1MM Y 50 MM	12
MAXIMUM LENGTH BETWEEN 50,1MM Y 60 MM	14
MAXIMUM LENGTH BETWEEN 60,1MM Y 70 MM	15
MAXIMUM LENGTH BETWEEN 70,1MM Y 80 MM	15
MAXIMUM LENGTH BETWEEN 80,1MM Y 90 MM	16
MAXIMUM LENGTH HIGHER THAN 90,1 MM	17

**RUBBER CORDS** \_\_\_\_\_ ¡Error! Marcador no definido.

**RUBBER TUBES** \_\_\_\_\_ ¡Error! Marcador no definido.

# RUBBER STRIPS

## MAXIMUM LENGTH BETWEEN 0,1MM Y 10 MM

Widht (mm)	Height(mm)	Reference	Details
4	2.8	8599/A0	EPDM 70° Sh. A
4.6	4	9191/A0	NBR 60° Sh. A
5	2	9292/A0	EPDM 65° Sh. A
5	2.5	853/A0	TO INQUIRY
5	5	8703/A0	EPDM 70° Sh. A
6	3	7486/A0	EPDM 60° Sh. A
		7486/B0	EPDM 70° Sh. A
6	5.5	8559/A0	EPDM 70° Sh. A
6	6	1344/A0	EPDM 50° Sh. A
		1344/C0	EPDM 70° Sh. A
		1344/D0	CR 70° Sh. A
6.5	3	6912/A0	EPDM 60° Sh. A
7	1.5	1855/A0	TO INQUIRY
7	5.5	3849/A0	TO INQUIRY
7.5	6	1628/A0	EPDM 60° Sh. A
8	2	1284/A0	EPDM 70° Sh. A
8	7.5	8128/A0	CRF 70° Sh. A
8	8	300/A0	EPDM 60° Sh. A
8.5	6	2495/A0	EPDM 60° Sh. A
9	2.5	829/A0	TO INQUIRY
9	6	5695/A0	TO INQUIRY
9	8	525/A0	TO INQUIRY
9	9	9335/A0	TO INQUIRY
9.5	2.5	2057/A0	TO INQUIRY
9.5	4	3384/A0	CR 70° Sh. A
		3384/B0	EPDM 80° Sh. A
		3384/C0	EPDM 60° Sh. A
9.5	6.5	2056/A0	EPDM 70° Sh. A

Widht (mm)	Height(mm)	Reference	Details
10	2	9168/A0	EPDM 65° Sh. A
10	3	3195/A0	EPDM 60° Sh. A
		3195/B0	EPDM 65° Sh. A
10	3	844/A0	EPDM 60° Sh. A
		844/B0	EPDM 80° Sh. A
		844/A0	CRV 70° Sh. A
10	4	9409/A0	EPDM 65° Sh. A
10	6	1035/A0	EPDM 70° Sh. A
10	7	414/A0	CR 70° Sh. A
10	7.5	9197/A0	EPDM 60° Sh. A
10	8	6468/A0	TO INQUIRY
10	8	1149/B0	EPDM 70° Sh. A
		1149/C0	EPDM 80° Sh. A
		1149/B0	NBR 70° Sh. A
10	10	89/A0	EPDM 60° Sh. A
10	10	790/A0	EPDM 60° Sh. A
		790/B0	EPDM 70° Sh. A
		790/C0	NBR 60° Sh. A
		790/E0	CRV 50° Sh. A
		790/F0	CRV 70° Sh. A
		790/G0	EPDM 65° Sh. A

### MAXIMUM LENGTH BETWEEN 10,1MM Y 20 MM

Widht (mm)	Height(mm)	Reference	Details
10	10	49/A0	EPDM 60° Sh. A
11	3.5	757/A0	EPDM 60° Sh. A
11	6.5	3952/A0	TO INQUIRY
11	8.25	2025/A0	EPDM 60° Sh. A
11	11	1067/A0	TO INQUIRY
11.5	1.2	1112/A0	TO INQUIRY

Widht (mm)	Height(mm)	Reference	Details
12	1	2096/A0	EPDM 60° Sh. A
		2096/B0	CR 70° Sh. A
12	8	2071/A0	EPDM 70° Sh. A
		2071/B0	EPDM 60° Sh. A
12	9	411/A0	EPDM 60° Sh. A
12	10	8533/A0	EPDM 50° Sh. A
12	10	2072/A0	EPDM 60° Sh. A
12	12	673/A0	EPDM 60° Sh. A
12.5	2	2230/A0	CR 70° Sh. A
		2230/B0	EPDM 60° Sh. A
12.5	3.5	848/A0	TO INQUIRY
12.5	5	864/A0	CR 70° Sh. A
13	1.5	1020/A0	CR 70° Sh. A
13	12	7997/A0	EPDM 70° Sh. A
13	13	7740/A0	EPDM 60° Sh. A
13.7	4	4444/A0	EPDM 60° Sh. A
		4444/C0	CRF 70° Sh. A
		4444/D0	EPDM 65° Sh. A
14	1.35	7389/A0	EPDM 60° Sh. A
14	2	3913/A0	EPDM 70° Sh. A
14	8	842/A0	EPDM 60° Sh. A
		842/B0	CR 70° Sh. A
14	10	2073/A0	CR 70° Sh. A
		2073/B0	NBR 60° Sh. A
		2073/C0	EPDM 95 Sh. A
14	12	789/A0	EPDM 60° Sh. A
14	12	386/A0	EPDM 60° Sh. A
14	14	816/A0	EPDM 60° Sh. A
		816/B0	NBR 70° Sh. A
		816/C0	CR 70° Sh. A
14.5	1	203/A0	EPDM 60° Sh. A

Widht (mm)	Height(mm)	Reference	Details
14.5	1.2	81/A0	CR 70° Sh. A
14.5	3	152/A0	CR 70° Sh. A
		152/B0	EPDM 70° Sh. A
14.5	14.5	6854/A0	TO INQUIRY
15	4.5	4134/A0	EPDM 70° Sh. A
15	5.5	194/A0	EPDM 60° Sh. A
		194/B0	EPDM 70° Sh. A
		194/C0	CR 70° Sh. A
15	6	2944/A0	EPDM 70° Sh. A
15	6	8127/A0	CR 70° Sh. A
15	8.4	9196/A0	EPDM 80° Sh. A
15	10	8531/A0	EPDM 50° Sh. A
15	15	5987/A0	TO INQUIRY
15	15	633/A0	EPDM 50° Sh. A
		633/B0	NBR 70° Sh. A
		633/C0	EPDM 50° Sh. A
15.5	6.5	1914/A0	TO INQUIRY
15.5	10.5	1293/A0	TO INQUIRY
16	5	8324/A0	CR 70° Sh. A
16	8	7416/A0	CR 70° Sh. A
		7416/B0	EPDM 60° Sh. A
16	11	3025/A0	EPDM 60° Sh. A
16	11	2404/A0	EPDM 60° Sh. A
16	12	1699/A0	CR 70° Sh. A
16	16	815/A0	EPDM 60° Sh. A
17	2.5	1075/A0	TO INQUIRY
17	8	416/A0	EPDM 60° Sh. A
17.5	3.2	1303/A0	TO INQUIRY
17.5	12	1658/A0	EPDM 60° Sh. A
18	2.5	2686/A0	TO INQUIRY

Width (mm)	Height(mm)	Reference	Details
18	4	5105/A0	EPDM 60° Sh. A
		5105/B0	EPDM 70° Sh. A
		5105/C0	EPDM 95° Sh. A
		5105/E0	EPDM 80° Sh. A
18	18	2140/A0	EPDM 60° Sh. A
		2140/C0	NBR 70° Sh. A
20	1	1761/A0	CR 70° Sh. A
20	1.2	1113/A0	TO INQUIRY
20	1.5	6174/A0	EPDM 60° Sh. A
20	2	4492/A0	EPDM 60° Sh. A
		4492/B0	EPDM 70° Sh. A
		4492/C0	CR 70° Sh. A
		4492/D0	EPDM 65° Sh. A
20	2.5	9124/A0	EPDM 60° Sh. A
20	3	9321/A0	EPDM 65° Sh. A
20	3	2546/A0	EPDM 60° Sh. A
		2546/B0	EPDM 70° Sh. A
20	4	9434/A0	EPDM 80° Sh. A
20	4.5	4101/A0	NBR 70° Sh. A
		4101/B0	EPDM 60° Sh. A
20	5	5298/A0	CR 70° Sh. A
		5298/C0	EPDM 70° Sh. A
		5298/D0	EPDM 65° Sh. A
20	7	6642/A0	EPDM 65° Sh. A
20	8	870/A0	EPDM 70° Sh. A
		870/E0	EPDM 65° Sh. A
20	10	3128/A0	EPDM 60° Sh. A
		3128/B0	EPDM 70° Sh. A
		3128/C0	CR 70° Sh. A
		3128/D0	EPDM 65° Sh. A
20	12	8532/A0	EPDM 50° Sh. A

Widht (mm)	Height(mm)	Reference	Details
20	15	843/A0	EPDM 60° Sh. A
		843/B0	EPDM 50° Sh. A
		843/D0	EPDM 65° Sh. A
		843/E0	EPDM 70° Sh. A
20	20	747/A0	EPDM 60° Sh. A
		747/B0	EPDM 50° Sh. A
		747/E0	EPDM 70° Sh. A
		747/F0	EPDM 65° Sh. A

### MAXIMUM LENGTH BETWEEN 20,1MM Y 30 MM

Widht (mm)	Height(mm)	Reference	Details
21.3	4.3	4250/A0	TO INQUIRY
21.5	7.5	5672/A0	TO INQUIRY
22	3.7	6187/A0	TO INQUIRY
22	22	4380/A0	EPDM 60° Sh. A
23	6	2385/A0	CR 70° Sh. A
23	7	5241/A0	EPDM 60° Sh. A
		5241/C0	CR 70° Sh. A
23.5	9.5	5489/A0	EPDM 60° Sh. A
24	3	2951/A0	EPDM 60° Sh. A
		2951/B0	CR 70° Sh. A
24	4	7425/A0	EPDM 80° Sh. A
		7425/B0	EPDM 70° Sh. A
24	6	7423/A0	EPDM 80 Sh. A
		7423/C0	CR 70 Sh. A
24	9.5	6540/A0	TO INQUIRY
24	19	8704/A0	EPDM 60° Sh. A
24.5	0.5	98/A0	EPDM 70° Sh. A
24.5	2	734/A0	EPDM 60° Sh. A
		734/B0	CR 70° Sh. A
24.5	5	522/A0	TO INQUIRY



Widht (mm)	Height(mm)	Reference	Details
25	1	2685/A0	EPDM 60° Sh. A
25	2	5372/A0	CR 70° Sh. A
25	3	9371/A0	EPDM 45° Sh. A
25	5	1098/A0	EPDM 60° Sh. A
		1098/B0	NBR 70° Sh. A
		1098/C0	CR 70° Sh. A
25	8	6794/A0	EPDM 60° Sh. A
		6794/B0	EPDM 70° Sh. A
25	10	601/A0	EPDM 60° Sh. A
		601/C0	CR 70° Sh. A
25	12	1838/A0	CR 70° Sh. A
25	15	9015/A0	EPDM 60° Sh. A
25	19	2030/A0	EPDM 60° Sh. A
		2030/C0	NBR 70° Sh. A
25	20	6887/A0	EPDM 60° Sh. A
		6887/C0	NBR 70° Sh. A
25	25	1254/A0	CR 70° Sh. A
		1254/B0	EPDM 50° Sh. A
		1254/C0	NBR 70° Sh. A
25.4	3.2	4223/A0	EPDM 70° Sh. A
27	1.5	5167/A0	TO INQUIRY
28	1	3400/A0	EPDM 60° Sh. A
28	3	8715/A0	TO INQUIRY
28	5	579/A0	EPDM 60° Sh. A
		579/B0	CR 70° Sh. A
28	25	745/A0	EPDM 60° Sh. A
		745/B0	NBR 70° Sh. A
29	9	2992/A0	EPDM 60° Sh. A
		2992/B0	EPDM 70° Sh. A
30	0.8	645/A0	TO INQUIRY
30	1.5	793/A0	EPDM 60° Sh. A
		793/B0	CR 70° Sh. A

Widht (mm)	Height(mm)	Reference	Details
30	2.75	8373/A0	CR 70° Sh. A
30	3	7627/A0	EPDM 70° Sh. A
		7627/B0	CR 70° Sh. A
30	3	9322/A0	EPDM 65° Sh. A
30	4	8852/A0	EPDM 60° Sh. A
30	5	4859/A0	EPDM 60° Sh. A
		4859/B0	CR 70° Sh. A
		4859/C0	EPDM 70° Sh. A
30	8	8145/A0	TO INQUIRY
30	8	7827/A0	EPDM 70° Sh. A
30	10	3196/A0	EPDM 60° Sh. A
		3196/B0	EPDM 50° Sh. A
		3196/C0	EPDM 70° Sh. A
30	17	1736/A0	EPDM 60° Sh. A
		1736/B0	EPDM 50° Sh. A
30	20	4777/A0	EPDM 60° Sh. A
30	24	5348/A0	TO INQUIRY
30	25	5493/B0	EPDM 50° Sh. A
30	26.5	9303/A0	CR 70° Sh. A
30	30	557/A0	EPDM 60° Sh. A
		557/B0	EPDM 70° Sh. A

### MAXIMUM LENGTH BETWEEN 30,1MM Y 40 MM

Widht (mm)	Height(mm)	Reference	Details
32	2	7293/A0	CR 70° Sh. A
32	6.5	1726/A0	EPDM 60° Sh. A
		1726/B0	EPDM 70° Sh. A
32	27	5399/A0	TO INQUIRY
33	5	7541/A0	EPDM 70° Sh. A

Widht (mm)	Height(mm)	Reference	Details
33	10	7543/A0	EPDM 70° Sh. A
		7543/B0	EPDM 50° Sh. A
		7543/C0	CR 70° Sh. A
34	1.5	5743/A0	TO INQUIRY
34	8	5371/A0	CR 70° Sh. A
34	14	2333/A0	EPDM 70° Sh. A
35	2	984/A0	EPDM 60° Sh. A
		984/B0	CR 70° Sh. A
		984/C0	EPDM 70° Sh. A
35	18	5387/A0	CR 70° Sh. A
35	30	5490/A0	TO INQUIRY
36	3	296/A0	EPDM 60° Sh. A
36	20	272/A0	EPDM 60° Sh. A
36.5	22	5386/A0	TO INQUIRY
37	2.5	5334/A0	EPDM 70° Sh. A
		5334/B0	EPDM 60° Sh. A
37	4	1362/A0	EPDM 60° Sh. A
		1362/B0	EPDM 70° Sh. A
		1362/C0	CR 70° Sh. A
37	5	1363/A0	EPDM 60° Sh. A
37	6	1364/A0	EPDM 60° Sh. A
37.5	1.5	2657/A0	EPDM 70° Sh. A
38	1.3	2321/A0	EPDM 60° Sh. A
38	3	4174/A0	TO INQUIRY
40	1	7370/A0	EPDM 60° Sh. A
40	2	8526/A0	EPDM 70° Sh. A
40	2.1	8977/A0	TO INQUIRY
40	2.35	4846/A0	EPDM 60° Sh. A
		4846/C0	EPDM 70° Sh. A
		4846/D0	CR 70° Sh. A
40	3	9323/A0	EPDM 65° Sh. A

Widht (mm)	Height(mm)	Reference	Details
40	3	1313/A0	EPDM 60° Sh. A
		1313/B0	EPDM 70° Sh. A
		1313/D0	CR 70° Sh. A
40	4	5373/A0	CR 70° Sh. A
		5373/B0	EPDM 70° Sh. A
		5373/C0	EPDM 60° Sh. A
40	4	6791/A0	EPDM 60° Sh. A
40	5	2848/A0	EPDM 60° Sh. A
		2848/B0	EPDM 70° Sh. A
40	6	1120/A0	CR 70° Sh. A
		1120/B0	EPDM 60° Sh. A
		1120/C0	EPDM 70° Sh. A
40	8	2458/A0	EPDM 60° Sh. A
40	15	8874/A0	EPDM 70° Sh. A
40	20	1698/A0	EPDM 60° Sh. A
		1698/B0	NBR 70° Sh. A
		1698/C0	EPDM 70° Sh. A
40	30	768/A0	EPDM 60° Sh. A
		768/B0	EPDM 50° Sh. A
40	35	808/A0	TO INQUIRY
40	40	1473/A0	EPDM 60° Sh. A

### MAXIMUM LENGTH BETWEEN 40,1MM Y 50 MM

Widht (mm)	Height(mm)	Reference	Details
42	7	7926/A0	EPDM 70° Sh. A
42	11	9084/A0	EPDM 50° Sh. A
43	3	6709/A0	EPDM 60° Sh. A
44	1	695/A0	EPDM 60° Sh. A
44	3	2228/A0	EPDM 60° Sh. A
		2228/B0	EPDM 70° Sh. A
		2228/C0	CR 70° Sh. A

Widht (mm)	Height(mm)	Reference	Details
44	6	4569/A0	EPDM 60° Sh. A
44	10	6551/A0	EPDM 60° Sh. A
		6551/B0	CR 70° Sh. A
45	2	7968/A0	CR 70° Sh. A
45	5	2015/A0	EPDM 60° Sh. A
		2015/B0	EPDM 70° Sh. A
45	30	652/A0	EPDM 60° Sh. A
45	40	622/A0	EPDM 80° Sh. A
49	8	569/A0	EPDM 60° Sh. A
50	1.5	6568/A0	EPDM 60° Sh. A
		6568/B0	EPDM 70° Sh. A
		6568/C0	CR 70° Sh. A
50	3.3	6410/A0	EPDM 60° Sh. A
		6410/B0	CR 70° Sh. A
50	5	7002/A0	EPDM 80° Sh. A
		7002/B0	EPDM 60° Sh. A
50	5	5838/A0	EPDM 60° Sh. A
		5838/B0	EPDM 70° Sh. A
		5838/C0	CR 70° Sh. A
		5838/D0	NBR 70° Sh. A
50	8	9075/A0	EPDM 50° Sh. A
		9075/B0	EPDM 60° Sh. A
50	9	6329/A0	TO INQUIRY
50	10	3090/A0	EPDM 60° Sh. A
		3090/E0	CR 70° Sh. A
50	12	1739/A0	EPDM 60° Sh. A
50	16	5433/A0	TO INQUIRY

## MAXIMUM LENGTH BETWEEN 50,1MM Y 60 MM

Widht (mm)	Height(mm)	Reference	Details
52	10	2626/A0	TO INQUIRY
55	2	6268/A0	TO INQUIRY
55	10	5969/A0	EPDM 60° Sh. A
57	2	7223/A0	EPDM 60° Sh.
58	8	636/A0	EPDM 60° Sh. A
		636/B0	EPDM 70° Sh. A
60	1	2297/A0	EPDM 60° Sh. A
60	3	9324/A0	EPDM 65° Sh. A
60	3	1457/A0	EPDM 60° Sh. A
		1457/B0	CR 70° Sh. A
60	4	1716/A0	CR 70° Sh. A
60	5	7116/A0	EPDM 70° Sh. A
		7116/B0	EPDM 60° Sh. A
		7116/D0	CR 70° Sh. A
60	10	6985/B0	EPDM 70° Sh. A
60	18	3231/A0	EPDM 60° Sh. A
60	30	3386/A0	EPDM 60° Sh. A
60	43	3232/A0	TO INQUIRY

## MAXIMUM LENGTH BETWEEN 60,1MM Y 70 MM

Widht (mm)	Height(mm)	Reference	Details
65	2.5	2241/A0	EPDM 60° Sh. A
		2241/A0	SL-610
65	3.5	2329/A0	EPDM 60° Sh. A
65	45	2305/A0	TO INQUIRY
66	20	9319/A0	EPDM 65° Sh. A
67	5	7542/A0	EPDM 70° Sh. A
		7542/C0	CR 70° Sh. A
67	10	7544/A0	EPDM 70° Sh. A
70	1	8988/A0	CR 70° Sh. A
70	9	6330/A0	EPDM 60° Sh. A
70	10	3073/A0	EPDM 60° Sh. A

## MAXIMUM LENGTH BETWEEN 70,1MM Y 80 MM

Widht (mm)	Height(mm)	Reference	Details
71	71	3411/A0	TO INQUIRY
72	2	3407/A0	EPDM 60° Sh. A
74	2	8716/A0	EPDM 60° Sh. A
75	4	5660/A0	EPDM 60° Sh. A
		5660/B0	EPDM 50° Sh. A
75	15	7289/A0	EPDM 70° Sh. A
		7289/B0	CR 70° Sh. A
75	10	8333/A0	EPDM 70° Sh. A
80	1.5	2565/A0	CR 70° Sh. A
80	3.5	8947/A0	EPDM 90° Sh. A
80	4	6793/A0	EPDM 60° Sh. A
80	5	7330/A0	EPDM 70° Sh. A
		7330/B0	EPDM 70° Sh. A

80	7	2912/A0	EPDM 60° Sh. A
		2912/B0	EPDM 50° Sh. A
		2912/C0	EPDM 70° Sh. A
80	10	2807/A0	EPDM 60° Sh. A
80	15	9176/A0	EPDM 80° Sh. A
80	18	4886/A0	CR 70° Sh. A
80	50	7347/A0	TO INQUIRY
80	60	7348/A0	TO INQUIRY
80	70	7349/A0	TO INQUIRY
80	80	7350/A0	TO INQUIRY

### MAXIMUM LENGTH BETWEEN 80,1MM Y 90 MM

Widht (mm)	Height(mm)	Reference	Details
85	38	2300/A0	TO INQUIRY
90	8	1662/A0	EPDM 70° Sh. A
90	10	3071/A0	EPDM 60° Sh. A
		3071/B0	EPDM 70° Sh. A
90	15	3387/A0	TO INQUIRY
90	20	3197/A0	EPDM 60° Sh. A
		3197/B0	CR 70° Sh. A
90	25	5552/A0	TO INQUIRY
90	35	9216/A0	EPDM 50° Sh. A
		9216/B0	EPDM 60° Sh. A
90	80	7211/A0	TO INQUIRY



## MAXIMUM LENGTH HIGHER THAN 90,1 MM

Width (mm)	Height (mm)	Reference	Details
94	1.5	4173/A0	EPDM 60° Sh. A
99	80	5823/A0	EPDM 60° Sh. A
100	4	6792/A0	EPDM 60° Sh. A
100	5	7271/A0	EPDM 65° Sh. A
		7271/B0	EPDM 60° Sh. A
100	5	8872/A0	SBR 65° Sh. A
100	10	1715/A0	EPDM 60° Sh. A
100	10	938/A0	EPDM 60° Sh. A
		938/C0	EPDM 70° Sh. A
100	20	2798/A0	EPDM 60° Sh. A
100	26	6347/A0	TO INQUIRY
100	30	4297/A0	EPDM 70° Sh. A
		4297/B0	EPDM 60° Sh. A
103	60	3385/A0	TO INQUIRY
104	3	1664/A0	EPDM 60° Sh. A
107	6	6588/A0	NBR 60° Sh. A
110	12	5333/A0	EPDM 60° Sh. A
105	5	8525/A0	EPDM 60° Sh. A
110	2	5848/A0	EPDM 60° Sh. A
110	15	3238/A0	EPDM 60° Sh. A
115	8	1696/A0	EPDM 60° Sh. A
120	20	3198/A0	EPDM 60° Sh. A
130	5	7488/A0	EPDM 60° Sh. A
		7488/B0	EPDM 70° Sh. A
130	10	3533/A0	EPDM 60° Sh. A
130	20	3199/A0	TO INQUIRY
150	2.5	2854/A0	EPDM 60° Sh. A

Widht (mm)	Height(mm)	Reference	Details
150	5	2855/A0	EPDM 70° Sh. A
		2855/B0	EPDM 60° Sh. A
150	6	2900/A0	EPDM 60° Sh. A
		2900/B0	SBR 70° Sh. A
		2900/C0	CR 70° Sh. A
150	8	7111/A0	EPDM 60° Sh. A
150	12	5332/A0	EPDM 70° Sh. A
150	20	4781/A0	CR 70° Sh. A
150	50	8898/A0	TO INQUIRY
160	5	3501/A0	TO INQUIRY
180	5	2299/A0	EPDM 60° Sh. A
		2299/B0	CR 70° Sh. A
200	2	2727/A0	EPDM 60° Sh. A
200	3.5	2613/A0	EPDM 70° Sh. A
200	6	7257/A0	EPDM 60° Sh. A
		7257/B0	EPDM 60° Sh. A
200	12	2303/A0	EPDM 60° Sh. A
		2303/B0	EPDM 70° Sh. A
200	62	8897/A0	TO INQUIRY
200	80	7313/A0	TO INQUIRY
208	15	9175/A0	EPDM 60° Sh. A
240	10	3844/A0	TO INQUIRY
250	2.5	8009/A0	EPDM 70° Sh. A
270	20	3200/A0	EPDM 60° Sh. A
		3200/B0	EPDM 50° Sh. A
300	2	8403/A0	TO INQUIRY
300	20	3201/B0	CR 70° Sh. A
500	5	2620/A0	EPDM 60° Sh. A
		2620/B0	CR 70° Sh. A
550	12.5	2326/A0	EPDM 60° Sh. A

# RUBBER CORDS

Diametre Ø (mm)	Reference	Details
1	9140/A0	EDPM 50° Sh. A
1.5	9136/A0	EDPM 70° Sh. A
2.5	9137/A0	EDPM 70° Sh. A
3.9	Ø3.9/A0	TO INQUIRY
4	Ø4/A0	EDPM 70° Sh. A
5	Ø5/A0	EDPM 70° Sh. A
	Ø5/B0	EDPM 80° Sh. A
	Ø5/D0	EDPM 60° Sh. A
	Ø5/E0	CR 70° Sh. A
5.5	9421/A0	EDPM 65° Sh. A
6	9284/A0	TO INQUIRY
6	9047/A0	FKM 70° Sh. A
6	Ø6/B0	EPDM 60° Sh. A
	Ø6/C0	CR 70° Sh. A
6.5	Ø6.5/A0	EDPM 70° Sh. A
7	9440/A0	EDPM 65° Sh. A
7	9101/A0	CR 70° Sh. A
7.75	Ø7.75/A0	CR 80° Sh. A
8	9048/A0	FKM 70° Sh. A
	9048/B0	EPDM 60° Sh. A
8	Ø8/A0	EDPM 60° Sh. A
	Ø8/B0	EDPM 70° Sh. A
10	9468/A0	EDPM 50° Sh. A
10	5850/A0	CRV 70° Sh. A
	P-5850	EDPM 60° Sh. A
10	9261/A0	EDPM 75° Sh. A
10	Ø10/A0	EPDM 60° Sh. A
	Ø10/C0	CR 70° Sh. A
	Ø10/E0	NBR 60° Sh. A
12	9049/A0	FKM 70° Sh. A

Diametre Ø (mm)	Reference	Details
12	Ø12/A0	EPDM 60° Sh. A
	Ø12/B0	NBR 70° Sh. A
	Ø12/C0	EPDM 80° Sh. A
	Ø12/F0	EPDM 50° Sh. A
13	Ø13/A0	EDPM 70° Sh. A
15	Ø15/A0	EDPM 70° Sh. A
	Ø15/B0	EDPM 60° Sh. A
	Ø15/C0	NBR 70° Sh. A
16	Ø16/A0	EDPM 70° Sh. A
	Ø16/B0	EDPM 60° Sh. A
16.5	Ø16.5/A0	TO INQUIRY
17	Ø17/A0	EDPM 70° Sh. A
18	Ø18/A0	EDPM 60° Sh. A
	Ø18/B0	EDPM 70° Sh. A
19.5	Ø19.5/A0	EDPM 70° Sh. A
20	8834/A0	EDPM 50° Sh. A
22	8836/A0	EDPM 50° Sh. A
25	9138/A0	EDPM 60° Sh. A
25	8815/B0	EDPM 65° Sh. A
30	9139/A0	EDPM 60° Sh. A
34	000/A0	TO INQUIRY
38.5	Ø38.5/A0	EDPM 50° Sh. A
40	9085/A0	NBR 70° Sh. A
40	8950/A0	SBR 60° Sh. A
40	8950/C0	EDPM 75° Sh. A
40	8950/D0	SBR 75° Sh. A
43	8975/A0	EDPM 50° Sh. A
80	Ø80/A0	EDPM 50° Sh. A
125	8979/A0	NBR 60° Sh. A

## RUBBER TUBES

Ø External (mm)	Ø Internal (mm)	Reference	Details
5	3	Ø3X Ø5/A0	EPDM 60° Sh. A
		Ø3X Ø5/B0	CR 70° Sh. A
5.2	2.5	Ø2.5X Ø5.2/A0	EPDM 60° Sh. A
6	2.6	Ø2.6X Ø6/A0	EPDM 60° Sh. A
6	3.5	Ø3.5X Ø6/A0	EPDM 60° Sh. A
6	4	Ø4X Ø6/A0	CR 70° Sh. A
6.15	4.25	Ø4.25X Ø6.15/A0	TO INQUIRY
6.3	3.5	Ø3.5X Ø6.3/A0	TO INQUIRY
6.3	4	Ø4X Ø6.3/A0	TO INQUIRY
6.5	3.5	Ø3.5X Ø6.5/A0	NBR 70° Sh. A
7	3	Ø3X Ø7/A0	EPDM 60° Sh. A
7	4	Ø4X Ø7/A0	CR 70° Sh. A
		Ø4X Ø7/B0	EPDM 60° Sh. A
		Ø4X Ø7/C0	EPDM 70° Sh. A
		Ø5X Ø7/A0	EPDM 60° Sh. A
8	3.5	Ø3.5X Ø8/A0	EPDM 50° Sh. A
8	4	Ø4X Ø8/A0	EPDM 70° Sh. A
8	5	Ø5X Ø8/A0	EPDM 60° Sh. A
8.5	3.5	Ø3.5X Ø8.5/A0	CR 70° Sh. A
9	6	Ø6X Ø9/A0	CR 70° Sh. A
		Ø6X Ø9/B0	EPDM 60° Sh. A
9	7	Ø7X Ø9/A0	EPDM 60° Sh. A
10	4	Ø4X Ø10/A0	EPDM 60° Sh. A
10	6	Ø6X Ø10/A0	EPDM 70° Sh. A
10	7	Ø7X Ø10/A0	EPDM 60° Sh. A
10.5	3.5	Ø3.5X Ø10.5/A0	EPDM 50° Sh. A
11	5	Ø5X Ø11/A0	EPDM 80° Sh. A
11	6	Ø6X Ø11/A0	EPDM 80° Sh. A
11	7.5	Ø7.5X Ø11/A0	TO INQUIRY
11	8	Ø8X Ø11/A0	EPDM 80° Sh. A

<b>Ø External (mm)</b>	<b>Ø Internal (mm)</b>	<b>Reference</b>	<b>Details</b>
11	9	Ø9X Ø11/A0	EPDM 50° Sh. A
12	6	Ø6X Ø12/A0	CR 70° Sh. A
12	7	Ø7X Ø12/A0	EPDM 70° Sh. A
12	8	Ø8X Ø12/A0	NBR 70° Sh. A
12	9	Ø9X Ø12/A0	CR 70° Sh. A
12	10	Ø10X Ø12/A0	EPDM 60° Sh. A
12.6	6.3	9311/A0	EPDM 65° Sh. A
12.8	4	Ø4X Ø12.8/A0	EPDM 70° Sh. A
13	8	Ø8X Ø13/A0	TO INQUIRY
		Ø8X Ø13/B0	EPDM 60° Sh. A
13	9	Ø9X Ø13/A0	EPDM 80° Sh. A
13.6	9	Ø9X Ø13.6/A0	TO INQUIRY
13	10	Ø13X Ø10/A0	TO INQUIRY
14	2.5	9038/A0	TO INQUIRY
14	5	Ø5X Ø14/A0	EPDM 60° Sh. A
14	8	Ø8X Ø14/A0	EPDM 60° Sh. A
14	12	Ø2X Ø14/A0	TO INQUIRY
15	3	Ø3X Ø15/A0	EPDM 50° Sh. A
15	8	Ø8X Ø15/A0	CR 80° Sh. A
15	10	Ø10X Ø15/A0	EPDM 70° Sh. A
15	11	Ø11X Ø15/A0	EPDM 60° Sh. A
16	1.5	Ø1.5X Ø16/A0	CR 70° Sh. A
16	2	9104/A0	TO INQUIRY
16	4	Ø4X Ø16/A0	EPDM 80° Sh. A
16	5	Ø5X Ø16/A0	EPDM 60° Sh. A
16	10	Ø10X Ø16/A0	EPDM 50° Sh. A
16	11	Ø11X Ø16/A0	EPDM 60° Sh. A
		Ø11X Ø16/B0	EPDM 70° Sh. A
16	11.8	Ø11.8X Ø16/A0	EPDM 75° Sh. A
16	12	Ø12X Ø16/A0	EPDM 50° Sh. A
16	14	Ø14X Ø16/A0	EPDM 60° Sh. A
17	12.3	Ø12.3X Ø17/A0	EPDM 60° Sh. A

<b>Ø External (mm)</b>	<b>Ø Internal (mm)</b>	<b>Reference</b>	<b>Details</b>
17	12.7	Ø12.7X Ø17/A0	EPDM 75° Sh. A
17	15	Ø15X Ø17/B0	EPDM 70° Sh. A
17.5	12	Ø12X Ø17.5/A0	TO INQUIRY
18	6	Ø6X Ø18/A0	TO INQUIRY
18	13	Ø13X Ø18/A0	EPDM 60° Sh. A
18	13.2	Ø13.2X Ø18/A0	EPDM 70° Sh. A
18.3	14.3	Ø14.3X Ø18.3/A0	EPDM 75° Sh. A
19	13	9092/A0	NR 85° Sh. A
19	14	Ø14X Ø19/A0	EPDM 60° Sh. A
19	14.8	Ø14.8X Ø19/A0	EPDM 65° Sh. A
20	4.5	Ø4.5X Ø20/A0	EPDM 60° Sh. A
20	9	Ø9X Ø20/A0	EPDM 60° Sh. A
20	12	Ø12X Ø20/A0	EPDM 60° Sh. A
20	12.5	Ø12.5X Ø20/A0	EPDM 60° Sh. A
20	14	Ø14X Ø20/A0	TO INQUIRY
20	16	Ø16X Ø20/A0	TO INQUIRY
20	18	Ø18X Ø20/A0	TO INQUIRY
21	14	Ø14X Ø21/A0	EPDM 70° Sh. A
		Ø14X Ø21/B0	EPDM 60° Sh. A
21	17	Ø17X Ø21/A0	EPDM 60° Sh. A
22	12	Ø12X Ø22/A0	EPDM 60° Sh. A
22	13	Ø13X Ø22/A0	NBR 70° Sh. A
22	16	Ø16X Ø22/A0	EPDM 60° Sh. A
22	20	Ø20X Ø22/A0	EPDM 60° Sh. A
23	16	Ø16X Ø23/A0	EPDM 70° Sh. A
23	19	Ø19X Ø23/A0	EPDM 70° Sh. A
24	5	Ø5X Ø24/A0	TO INQUIRY
24	9	Ø9X Ø24/A0	EPDM 60° Sh. A
24	16	Ø16X Ø24/A0	EPDM 70° Sh. A
24	17	Ø17X Ø24/A0	EPDM 70° Sh. A
24	18	Ø18X Ø24/A0	EPDM 70° Sh. A
25	16	Ø16X Ø25/A0	TO INQUIRY

<b>Ø External (mm)</b>	<b>Ø Internal (mm)</b>	<b>Reference</b>	<b>Details</b>
25	18	Ø18X Ø25/A0	EPDM 60° Sh.A
25	19	Ø19X Ø25/A0	EPDM 60° Sh.A
25	20	Ø20X Ø25/A0	EPDM 60° Sh.A
25	22	Ø22X Ø25/A0	EPDM 60° Sh. A
		Ø22X Ø25/B0	EPDM 70° Sh. A
26	16	Ø16X Ø26/A0	TO INQUIRY
26	20	Ø20X Ø26/A0	EPDM 60° Sh. A
26	22	6680/A0	EPDM 60° Sh. A
28	22	Ø22X Ø28/A0	CR 70° Sh. A
28.6	25.6	Ø25.6X Ø28.6/A0	EPDM 60° Sh. A
29	20	Ø20X Ø29/A0	TO INQUIRY
30	7	Ø7X Ø30/A0	EPDM 80° Sh. A
30	12	Ø12X Ø30/A0	EPDM 60° Sh. A
30	18	Ø18X Ø30/A0	CR 70° Sh. A
30	23.2	Ø23.2X Ø30/A0	EPDM 80° Sh. A
30	25	Ø25X Ø30/A0	EPDM 60° Sh. A
30	28	Ø28X Ø30/A0	EPDM 70° Sh. A
32	12.8	9090/A0	EPDM 70° Sh. A
32	21.5	Ø21.5X Ø32/A0	EPDM 70° Sh. A
		Ø21.5X Ø32/B0	EPDM 80° Sh. A
32	21	Ø21X Ø32/A0	EPDM 70° Sh. A
		Ø21X Ø32/B0	EPDM 80° Sh. A
32	22	Ø22X Ø32/A0	TO INQUIRY
32	26	Ø26X Ø32/A0	EPDM 70° Sh. A
32	27	Ø27X Ø32/A0	EPDM 60° Sh. A
32	28	Ø28X Ø32/A0	EPDM 70° Sh. A
34	23	Ø23X Ø34/A0	TO INQUIRY
35	30	Ø30X Ø35/A0	EPDM 60° Sh. A
36	30	Ø30X Ø36/A0	EPDM 70° Sh. A
38	28	Ø28X Ø38/A0	TO INQUIRY
38	31	Ø31X Ø38/A0	EPDM 60° Sh. A
40	31	Ø31X Ø40/A0	EPDM 60° Sh. A



<b>Ø External (mm)</b>	<b>Ø Internal (mm)</b>	<b>Reference</b>	<b>Details</b>
40	35	Ø35X Ø40/A0	EPDM 60° Sh. A
42	18	Ø18X Ø42/A0	TO INQUIRY
44	33	Ø33X Ø44/A0	EPDM 60° Sh. A
45	37	Ø37X Ø45/A0	TO INQUIRY
46.5	38	Ø38X Ø46.5/A0	TO INQUIRY
47	24.5	Ø24.5X Ø47/A0	TO INQUIRY
48	38	Ø38X Ø48/A0	EPDM 50° Sh. A
48	39	Ø39X Ø48/A0	TO INQUIRY
49	39	Ø39X Ø49/A0	EPDM 60° Sh. A
53	46	Ø46X Ø53/A0	TO INQUIRY
54	50	Ø50X Ø54/A0	EPDM 60° Sh. A
57	38	Ø38X Ø57/A0	TO INQUIRY
65	59	9206/A0	EPDM 50° Sh. A
70	60	Ø60X Ø70/A0	TO INQUIRY
75	55	Ø55X Ø75/A0	TO INQUIRY
78	75	9455/A0	EPDM 70° Sh. A
80	70	Ø70X Ø80/A0	EPDM 60° Sh. A
90	60	Ø60X Ø90/A0	EPDM 60° Sh. A
94	90	Ø90X Ø94/A0	EPDM 75° Sh. A
100	80	Ø80X Ø100/A0	EPDM 60° Sh. A
104	100	Ø100X Ø104/A0	EPDM 60° Sh. A
105	102	9456/A0	EPDM 70° Sh. A
120	29	8895/A0	EPDM 70° Sh. A
120	90	Ø90X Ø120/A0	EPDM 60° Sh. A
140	100	9293/A0	TO INQUIRY
150	36	8896/A0	EPDM 80° Sh. A
150	100	7235/A0	EPDM 60° Sh. A
150	120	Ø120X Ø150/A0	EPDM 60° Sh. A
153	150	Ø150X Ø153/A0	EPDM 60° Sh. A

FOR **OTHER GEOMETRIES**

WRITE TO:

**COMERCIAL@RIALS.ES**

**CALLE PRIMAVERA 9, PARQUE  
INDUSTRIAL “LAS MONJAS”, TORREJÓN  
DE ARDOZ, 28850, COMUNIDAD DE  
MADRID, ESPAÑA**

**(Telf) +34 91 677 06 85**

**(FAX) +34 91 678 11 49**

**FOLLOW US!**



Rials Extrusión Técnica S.L.

[FURTHER DETAILS IN WWW.RIALS.ES](http://WWW.RIALS.ES)