

# SPONGE RUBBER PROFILES CATALOG

- RUBBER STRIPS
- CORDS
- TUBES
- "U" PROFILES

**SPONGE RUBBER STRIPS** \_\_\_\_\_ ¡Error! Marcador no definido.

MAXIMUM LENGTH BETWEEN 0,1MM Y 10 MM	3
MAXIMUM LENGTH BETWEEN 10.01MM Y 20 MM	4
MAXIMUM LENGTH BETWEEN 20.01MM Y 30 MM	6
MAXIMUM LENGTH BETWEEN 30.01MM Y 40 MM	7
MAXIMUM LENGTH BETWEEN 40.01MM Y 50 MM	8
LENGTH MÁXIMA SUPERIOR A 50,1 MM	_____ ¡Error! Marcador no definido.

**SPONGE RUBBER CORDS** \_\_\_\_\_ ¡Error! Marcador no definido.

DIAMETRE BETWEEN 0.1MM Y 10MM	9
DIAMETRE BETWEEN 10.1MM Y 20MM	10
DIAMETRE BIGGER THAN 20.1MM	10

**SPONGE RUBBER TUBES** \_\_\_\_\_ ¡Error! Marcador no definido.

**SPONGE RUBBER “U” PROFILES** \_\_\_\_\_ ¡Error! Marcador no definido.

SYMMETRIC PROFILES	12
ASYMMETRIC PROFILES	15

# SPONGE STRIPS

## MAXIMUM LENGTH BETWEEN 0,1MM Y 10 MM

WIDTH (mm)	HEIGHT (mm)	REFERENCE	DETAILS
4	3	E-473/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
4	3.25	E-479/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
4	4	E-387/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
5.8	4	E-386/A0	EPDM DENSITY: 0.70 GR/CM <sup>3</sup>
6.6	4.5	E-517/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
5	2	E-34/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
5	3.5	E-303/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
5.6	5	E-399/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
6	3.1	E-681/A	EPDM DENSITY: 0.65 GR/CM <sup>3</sup>
6	4	E-242/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
		E-242/B0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
6	4.5	E-238/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
		E-238/B0	EPDM DENSITY: 0.50 GR/CM <sup>3</sup>
		E-238/C0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-238/D0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
6	5.5	E-528/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
6	6	E-181/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
6	6	E-697/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
6.35	3.5	E-90/A0	EPDM DENSITY: 0.45 GR/CM <sup>3</sup>
6.5	5	E-614/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
6.5	5	E-530/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
6.5	6.5	E-400/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-400/F0	EPDM DENSITY: 0.65 GR/CM <sup>3</sup>
7	5	E-523/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-523/B0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>

WIDTH (mm)	HEIGHT(mm)	REFERENCE	DETAILS
7	5	E-698/A0	EPDM DENSITY: 0.80 GR/CM <sup>3</sup>
7.5	3	E-251/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
7.5	3.8	E-330/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
7.5	5	E-264/A0	TO INQUIRE
7.5	5.4	E-275/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
8	2	E-305/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
8	4.5	E-306/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
8	5	E-23/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
8	5	E-680/A0	EPDM DENSITY: 0.55 GR/CM <sup>3</sup>
8	6	E-49/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
8	6.5	E-348/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
8	6.5	E-293/B0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
8	8	E-60/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
9	4	E-304/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
10	3	E-113/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
10	4	E-40/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
		E-40-A/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
10	5	E-43/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
10	7	E-187/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
10	10	E-325/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>

## MAXIMUM LENGTH BETWEEN 10.01MM Y 20 MM

WIDTH (mm)	HEIGHT (mm)	REFERENCE	DETAILS
11.6	4.5	E-581/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
12	3	E-215/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
12	4	E-422/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
12	5	E-650/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
12	6	E-103/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
12	8	E-61/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
12	9	E-64/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>

WIDTH (mm)	HEIGHT (mm)	REFERENCE	DETAILS
12	12	E-174/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
14	4	E-392/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
14	4.8	E-393/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
14	7.5	E-394/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
14	8.5	E-676/A0	EPDM DENSITY: 0.55 GR/CM <sup>3</sup>
14	9.7	E-501/A0	EPDM DENSITY: 0.50 GR/CM <sup>3</sup>
14	10	E-492/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
14	14	E-268/A0	EPDM DENSITY: 0.50 GR/CM <sup>3</sup>
15	2	E-35/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
15	3	E-203/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
15	3.8	E-42/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
15	5	E-115/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
15	5	E-672/A0	EPDM DENSITY: 0.85 GR/CM <sup>3</sup>
15	6	E-50/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
15	7	E-53/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
15	10	E-126/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-126/B0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
15	12	E-175/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
15	15	E-76/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
16	5	E-44/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
17	8	E-89/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
18	3	E-38/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
18	5.3	E-100/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
18	6.3	E-382/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
18	9	E-65/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
19	4	E-32/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
20	2	E-33/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
20	3	E-153/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
20	5	E-45/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
20	5.5	E-88/A0	EPDM DENSITY: 0.45 GR/CM <sup>3</sup>
20	7.5	E-395/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>

WIDTH (mm)	HEIGHT (mm)	REFERENCE	DETAILS
20	10	E-67/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-67/B0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
20	12	E-73/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
20	15	E-77/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-77/B0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
20	18	E-80/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
20	20	E-81/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>

## MAXIMUM LENGTH BETWEEN 20.01MM Y 30 MM

WIDTH (mm)	HEIGHT (mm)	REFERENCE	DETAILS
22	7	E-54/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
25	2	E-36/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-36/C0	EPDM DENSITY: 0.65 GR/CM <sup>3</sup>
		E-36/D0	EPDM DENSITY: 0.50 GR/CM <sup>3</sup>
25	3	E-619/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
25	5	E-211/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
25	6	E-51/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-51/B0	EPDM DENSITY: 0.65 GR/CM <sup>3</sup>
25	8	E-63/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
25	10	E-68/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-68/B0	EPDM DENSITY: 0.80 GR/CM <sup>3</sup>
25	15	E-78/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
25	20	E-151/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
25	25	E-84/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
26.3	5	E-542/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
28	5.5	E-91/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
30	5	E-624/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
30	7	E-59/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
30	7.5	E-565/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>

WIDTH (mm)	HEIGHT (mm)	REFERENCE	DETAILS
30	10	E-69/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
30	12	E-74/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
30	15	E-127/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
30	20	E-82/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
30	25	E-204/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
30	30	E-85/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>

## MAXIMUM LENGTH BETWEEN 30.01MM Y 40 MM

WIDTH (mm)	HEIGHT (mm)	REFERENCE	DETAILS
31	3	E-146/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
35	2	E-37/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
35	5	E-214/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
35	15	E-500/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
35	35	E-176/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
40	3.5	E-39/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
40	5	E-47/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
40	10	E-70/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-70/B0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
40	12	E-75/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
40	15	E-599/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
40	20	E-83/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
40	20	E-675/A0	EPDM DENSITY: 0.70 GR/CM <sup>3</sup>
		E-675/B0	EPDM DENSITY: 0.80 GR/CM <sup>3</sup>
40	30	E-124/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
40	35	E-143/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
40	40	E-144/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>

## MAXIMUM LENGTH BETWEEN 40.01MM Y 50 MM

WIDTH (mm)	HEIGHT (mm)	REFERENCE	DETAILS
45	5	E-48/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
50	5	E-212/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
50	6	E-52/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
50	10	E-71/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-71/D0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
50	20	E-439/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
50	30	E-183/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
50	50	E-634/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
		E-634/D0	EPDM DENSITY: 0.50 GR/CM <sup>3</sup>

## MAXIMUM LENGTH HIGHER THAN 50 MM

WIDTH (mm)	HEIGHT (mm)	REFERENCE	DETAILS
53	13	E-457/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
55	15	E-79/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
60	10	E-72/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
60	20	E-637/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
60	40	E-184/A0	EPDM DENSITY: 0.65 GR/CM <sup>3</sup>
		E-184/B0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
62	22	E-221/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
70	10	E-274/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
72.5	65	E-141/A0	TO INQUIRE
80	35	E-269/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
90	76	E-138//A0	TO INQUIRE
93	85	E-139//A0	TO INQUIRE
100	60	E-142/A0	TO INQUIRE
125	10	E-218/A0	A CONSULAR



# SPONGE CORDS

## DIAMETRE BETWEEN 0.1MM Y 10MM

DIAMETRE Ø (mm)	REFERENCE	DETAILS
3	E-229/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
3.25	E-455/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
4	E-279/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
4	E-646/A0	TO INQUIRE
4.2	E-658/A0	EPDM DENSITY: 0.55 GR/CM <sup>3</sup>
4.5	E-349/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
4.5	E-86/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
4.6	E-321/A0	EPDM DENSITY: 0.70 GR/CM <sup>3</sup>
5	E-589/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
5.5	E-506/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
	E-506/C0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
6	E-87/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
	E-87/B0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
	E-87/C0	CR DENSITY: 0.65 GR/CM <sup>3</sup>
	E-87/J0	EPDM DENSITY: 0.50 GR/CM <sup>3</sup>
6	E-654/A0	EPDM DENSITY: 0.55 GR/CM <sup>3</sup>
6.7	E-447/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
7	E-158/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
	E-158/C0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
7.7	E-647/A0	EPDM DENSITY: 0.55 GR/CM <sup>3</sup>
8	E-56/C0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
9	E-55/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
	E-55/B0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
	E-55/C0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
10	E-57/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>

## DIAMETRE BETWEEN 10.1MM Y 20MM

DIAMETRE Ø (mm)	REFERENCE	DETAILS
11	E-159/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
11	E-694/A0	EPDM DENSITY: 0.55 GR/CM <sup>3</sup>
12	E-58/A0	EPDM DENSITY: 0.30 GR/CM <sup>3</sup>
	E-58/B0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
	E-58/C0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
13	E-160/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
14	E-161/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
15	E-162/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
16	E-163/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
17	E-164/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
18	E-165/A0	TO INQUIRE
19	E-166/A0	TO INQUIRE
20	E-167/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>

## DIAMETRE HIGHER THAN 20.1MM

DIAMETRE Ø (mm)	REFERENCE	DETAILS
22.5	E-554/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
23.5	E-311/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
50	E-380/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>

# SPONGE TUBES

<b>Ø EXTERNAL (mm)</b>	<b>Ø INTERNAL (mm)</b>	<b>REFERENCE</b>	<b>DETAILS</b>
8	4	E-585/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
12.5	8.5	E-276/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
15	9.5	E-553/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
18	7.7	E-259/A0	TO INQUIRE
18	10	E-346/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
20	8	E-376/A0	EPDM DENSITY: 0.50 GR/CM <sup>3</sup>
20	12	E-185/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
24	5	E-178/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
24	16	E-448/A0	EPDM DENSITY: 0.50 GR/CM <sup>3</sup>
26	16	E-231/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
26	18	E-450/A0	EPDM DENSITY: 0.50 GR/CM <sup>3</sup>
32	22	E-361/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
35	25	E-359/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
38	28	E-362/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
42	18	E-360/A0	EPDM DENSITY: 0.60 GR/CM <sup>3</sup>
45.6	32.7	E-626/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>
68	60	E-375/A0	EPDM DENSITY: 0.40 GR/CM <sup>3</sup>

# SPONGE "U" PROFILES

## SYMMETRIC PROFILES

<b>E-8/A0</b>	<b>E-157/A0</b>	<b>E-282/A0</b>
<b>MATERIAL TO INQUIRE</b>	<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.55 GR/CM<sup>3</sup></b>

<b>E-327/A0</b>	<b>E-357/A0</b>	<b>E-459/A0</b>
<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>




<b>E-93/A0</b>	<b>E-97/A0</b>	<b>E-94/A0</b>
<b>MATERIAL TO INQUIRE</b>	<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>


<b>E-111/A0</b>	<b>E-121/A0</b>	<b>E-370/A0</b>
<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.45 GR/CM</b>	<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>

<b>E-410/A0</b>	<b>E-335/A0</b>	<b>E-271/A0</b>
<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>	<b>MATERIAL TO INQUIRE</b>	<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>

<b>E-371/A0</b>	<b>E-246/A0</b>	<b>E-248/A0</b>
<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>	<b>MATERIAL TO INQUIRE</b>

<b>E-249/A0</b>	<b>E-338/A0</b>	<b>E-206/A0</b>
<b>MATERIAL TO INQUIRE</b>	<b>MATERIAL TO INQUIRE</b>	<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>

E-263/A0	E-270/A0	E-602/A0
		
<p><b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b></p>	<p><b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b></p>	<p><b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b></p>

E-223/A0

<p><b>MATERIAL TO INQUIRE</b></p>

## ASYMMETRIC PROFILES

<b>E-328/A0</b>	<b>E-333/A0</b>	<b>E-354/A0</b>
<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.55 GR/CM<sup>3</sup></b>

<b>E-412/A0</b>	<b>E-373/A0</b>	<b>E-520/A0</b>
<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.70 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>

<b>E-31/A0</b>	<b>E-326/A0</b>	<b>E-461/A0</b>
<b>EPDM DENSITY 0.45 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.55 GR/CM<sup>3</sup></b>	<b>MATERIAL TO INQUIRE</b>

<b>E-11/A0</b>	<b>E-569/A0</b>	<b>E-240/A0</b>
<b>MATERIAL TO INQUIRE</b>	<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>



<b>E-254/A0</b>	<b>E-171/A0</b>	<b>E-277/A0</b>
<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>	<b>MATERIAL TO INQUIRE</b>	<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>

<b>E-289/A0</b>	<b>E-347/A0</b>	<b>E-308/A0</b>
<b>EPDM DENSITY 0.45 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.70 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.40 GR/CM<sup>3</sup></b>

<b>E-536/A0</b>	<b>E-620/A0</b>	<b>E-601/A0</b>
<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.60 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.60 GR/CM<sup>3</sup></b>

<b>E-605/A0</b>	<b>E-649/A0</b>	<b>E-477/A0</b>
<b>EPDM DENSITY 0.55 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.60 GR/CM<sup>3</sup></b>	<b>EPDM DENSITY 0.50 GR/CM<sup>3</sup></b>



E-537/A0	E-152/A0
 <p>Technical drawing of the E-537/A0 profile. It shows a cross-section with a total width of 30 and a total height of 20. The top edge has a width of 20. The bottom edge has a width of 15.7. The left side has a height of 11, and the right side has a height of 5. There are two horizontal slots, each 4 units wide, located 10 units from the top and 11 units from the bottom.</p>	 <p>Technical drawing of the E-152/A0 profile. It shows a cross-section with a total width of 31 and a total height of 39. The top edge has a width of 31. The bottom edge has a width of 14.5. The left side has a height of 37.5, and the right side has a height of 39. There are two horizontal slots, each 7 units wide, located 15.5 units from the top and 6 units from the bottom.</p>
<p>EPDM DENSITY 0.60 GR/CM<sup>3</sup></p>	<p>EPDM DENSITY 0.40 GR/CM<sup>3</sup></p>

FOR **OTHER GEOMETRIES**

WRITE TO

**COMERCIAL@RIALS.ES**

**CALLE PRIMAVERA 9, PARQUE  
INDUSTRIAL “LAS MONJAS”,  
TORREJÓN DE ARDOZ, 28850,  
COMUNIDAD DE MADRID, ESPAÑA**

**(Telf) +34 91 677 06 85**

**(FAX) +34 91 678 11 49**

**FOLLOW US!**



**Rials Extrusión Técnica S.L.**

FURTHER DETAILS IN [WWW.RIALS.ES](http://WWW.RIALS.ES)